



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	ATTORNEY DOCKET NO. CONFIRMATION NO.	
09/897,110	07/03/2001	Tomonori Nishio	1110-0287P	1110-0287P 9253	
2292 7.	590 11/17/2006		EXAMINER		
BIRCH STEWART KOLASCH & BIRCH			QIN, YIXING		
PO BOX 747 FALLS CHUR	OX 747 LS CHURCH, VA 22040-0747		ART UNIT	PAPER NUMBER	
TABLE CHORCH, VII 22010 CVII			2625		
		DATE MAILED: 11/17/2006			

Please find below and/or attached an Office communication concerning this application or proceeding.

● 1	Application No.	Applicant(s)
	09/897,110	NISHIO ET AL.
Office Action Summary	Examiner	Art Unit
	Yixing Qin	2625
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING E - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO .136(a). In no event, however, may a reply be tind I will apply and will expire SIX (6) MONTHS from te, cause the application to become ABANDONE	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
 1) Responsive to communication(s) filed on 22 s 2a) This action is FINAL. 2b) This 3) Since this application is in condition for allowed closed in accordance with the practice under 	is action is non-final. ance except for formal matters, pr	
Disposition of Claims		
4)	awn from consideration. for election requirement. her. her. her) accepted or b) □ objected to	•
Replacement drawing sheet(s) including the correct	•	·
11) ☐ The oath or declaration is objected to by the E	Examiner. Note the attached Office	Action or form PTO-152.
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a lis	nts have been received. nts have been received in Applicat onty documents have been receiv au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) ☑ Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	/ (PTO-413)
2) Notice of Preferences Cited (170-092) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate

Art Unit: 2625

DETAILED ACTION

Response to Amendment

In response to applicant's amendment received 9/22/05, all requested changes have been entered.

Response to Arguments

The 112 rejection from the previous office action has been overcame with the amendments made and are withdrawn. A new rejection has been made. Please see the detailed rejection below.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

I. Claims 1, 2, 5 and 6 are rejected under 35 U.S.C. 102(e) as being anticipated by Akiba et al (U.S. Patent No. 6,559,967).

Regarding claims 1 and 5, Akiba discloses an image processing apparatus comprising:

Art Unit: 2625

an image data processing section for executing at least one image processing operation with respect to digital image data (Fig. 2, item 4); and a condition setting section comprising (Fig. 5)

a set-up subsection for automatically setting initial values for image processing conditions for the at least one image processing operation (Fig. 1, item 170 – note that in Fig. 5, there are initial or default values for copier as seen), and

a set value changing subsection (Fig. 5, item 626) for selecting a plurality of changed values for image processing conditions for the at least one image processing operation from among plural levels or plural combinations which are of typically preset image processing conditions for the at least one image processing operation (column 7, line 66-67), and changing the initial values for of said image processing conditions into the changed values for the said selected plurality of image processing conditions. (column 7, lines 66 - column 8, line 9).

Claim 5 has the additional feature of an output apparatus. The copier of Akiba is an output apparatus.

Regarding claims 2 and 6, Akiba discloses said at least one image processing operation includes any one of a sharpness processing operation, a gradation processing operation, a density processing operation, a color processing operation, a shielding-print processing operation, a partial correction processing operation, a logogram/character- synthesizing process operation, and an edging process operation;

Art Unit: 2625

(Fig. 13 shows the screen that comes up when one presses key 626 in Fig. 5 for the operation mode. Fig. 13 discloses sharpness correction) and

said image processing conditions include conditions selected from at least one of the group consisting of execution/no execution, strong/weak, and deep/light of one image processing operation. (One can simply hit the close button in Fig. 13 for the processing to not occur or can hit the cancel button to cancel selected operations such as the ones selected in Fig. 15-26)

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

II. Claims 3, 4 and 7-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akiba et al (U.S. Patent No. 6,559,967) and in view of Usami et al (U.S. Patent No. 6,785,814).

Regarding claims 3 and 7, the Akiba et al reference discloses methods for the copying of digital image data.

It does not explicitly disclose "an embedding section for embedding said changed values of said plurality of image processing conditions into output image data which

Art Unit: 2625

has been processed based on said changed values of said plurality of image processing conditions."

However, Usami discloses in column 18, lines 51-65 how various information can be embedded into the image data.

Akiba and Usami are combinable because both are in the art embedding information in image data.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have included a method for embedding print conditions in image data.

The motivation would have been to allow a machine or user to tell what kind of processing a certain image has been through.

Therefore, it would have been obvious to combine Akiba and Usami to obtain the invention as specified.

Regarding claims 4 and 8, the Akiba et al reference discloses methods for the copying of digital image data.

It does not explicitly disclose "an image processing condition coding section for encoding said plurality of image processing conditions in batch mode; and wherein

said image data processing section performs said at least one image processing operation based on coded information which said plurality of image processing conditions is coded in the batch mode."

Art Unit: 2625

However, Usami discloses in column 18, lines 51-65 how various information can be embedded into the image data. In column 19, lines 7-15, discloses how the information is used in printing an image.

Akiba and Usami are combinable because both are in the art embedding information in image data.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have included a method for embedding print conditions in image data and to use the information to print an image.

The motivation would have been to allow a machine or user to tell what kind of processing is needed.

Therefore, it would have been obvious to combine Akiba and Usami to obtain the invention as specified.

Regarding claim 9, the Akiba et al reference discloses methods for the copying of digital image data. Usami discloses the use of database.

They do not explicitly disclose "a database which registers there into both a film identification number and image processing conditions with respect to an image photographed on a photographic film corresponding to said film identification number. "

However, Usami discloses in column 16, lines 45-61 the use of a search information Kn for finding images.

Akiba and Usami are combinable because both are in the art embedding information in image data.

Art Unit: 2625

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have included a method for identifying images in a database

The motivation would have been to allow a user to retrieve the proper image for printing.

Therefore, it would have been obvious to combine Akiba and Usami to obtain the invention as specified.

Regarding claim 10, the Akiba et al reference discloses methods for the copying of digital image data. Usami discloses the use of database.

They do not explicitly disclose "wherein said database is to further register information related to a customer in connection with the image processing conditions as to a printing order of said customer."

However, Usami discloses in column 19, lines 7-28 that customer processing conditions can be embedded into the images and, as mentioned before, the images are stored in a database.

Akiba and Usami are combinable because both are in the art embedding information in image data.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have included a method for relating customer conditions to an image.

The motivation would have been to allow users to properly process their own images.

Art Unit: 2625

Therefore, it would have been obvious to combine Akiba and Usami to obtain the invention as specified.

Regarding claim 11, the Akiba et al reference discloses methods for the copying of digital image data. Usami discloses the use of a plurality of database.

They do not explicitly disclose "wherein said database is connected to a plurality of other databases via a communication network, whereby the image processing conditions related to said customer, which is saved in said other databases, can be utilized based on the information related to said customer.

However, Usami discloses in column 19, lines 7-28 that customer processing conditions can be embedded into the images and, as mentioned before, the images are stored in a database.

Akiba and Usami are combinable because both are in the art embedding information in image data.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have included a method for relating customer conditions to an image.

The motivation would have been to allow users to properly process their own images.

Therefore, it would have been obvious to combine Akiba and Usami to obtain the invention as specified.

Art Unit: 2625

II. Claims 12-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akiba et al (U.S. Patent No. 6,559,967) in view of Suzuki (U.S. Patent No. 6,072,916) and further in view of Usami et al (U.S. Patent No. 6,785,814).

Regarding claim 12, Akiba discloses an image processing apparatus for performing at least one image processing operation with respect to digital image data, said image processing apparatus comprising:

a data processing section; (Fig. 2, item 4)

It does not explicitly disclose:

"a Log converter;

a prescan memory;

a fine scan memory, wherein the data processing section and the Log converter are operatively connected to the prescan memory and the fine scan memory;

a prescan data processing section, wherein the prescan data processing section is operatively connected to the prescan memory;

an image processing condition coding subsection for encoding the image processing conditions in batch mode in response to customized requests from a customer,"

However, Suzuki discloses in column 4, lines 18-19 the idea of log conversion using a LUT 34. Suzuki discloses in column 5, lines 19-27 the use of prescan and fine scanning and memories for storing the information obtained. See also Fig. 1 for how all

Art Unit: 2625

the parts are connected. The idea of the batch mode has been addressed in claims 4 and 8 above.

Akiba and Suzuki are combinable because both are in the art of obtaining scanned data for printing.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have used a prescan and fine scan memories.

The motivation would have been to allow efficient processing of scanned image data.

Therefore, it would have been obvious to combine Akiba and Suzuki to obtain the invention as specified.

Akiba further discloses a condition setting section, wherein said condition setting section comprises:

a set-up subsection for automatically setting initial values for image processing conditions for the at least one image processing operation, (Fig. 1, item 170 – note that in Fig. 5, there are initial or default values for copier as seen),

a set value changing subsection (Fig. 5, item 626) for selecting a plurality of new image processing conditions for the at least one image processing operation from among plural levels or plural combinations of typically preset image processing conditions for the at least one image processing operation (column 7, line 66-67), and changing the initial values for image processing conditions into changed values for the

Art Unit: 2625

selected plurality of new image processing conditions; (column 7, lines 66 - column 8, line 9) and

a fine scan data processing section, wherein the changed values from the set value changing subsection are sent to the fine scan data processing section for executing the at least one image processing operation. (Fig. 2, item 170)

Claim 13 has the additional feature of an output apparatus. The copier of Akiba is an output apparatus.

Regarding claim 14, Akiba discloses a method for creating a photoprint with a digital photoprinter, which comprises:

inputting an image to an image input apparatus; (column 5, lines 46-49)

outputting digital image data corresponding to the image from the image input apparatus to an image processing apparatus; (column 5, lines 46-49)

performing at least one image processing operation (Fig. 13) with respect to the digital image data with the image processing apparatus, wherein the performing of the at least one image processing operation apparatus further comprises, automatically setting initial values for image processing conditions for the at least one image processing operation with a set-up subsection of the image processing apparatus, (Fig. 1, item 170 – note that in Fig. 5, there are initial or default values for copier as seen)

It does not explicitly disclose "encoding the image processing conditions in batch mode in response to customized requests from a customer with an image processing condition coding subsection of the image processing apparatus,

However, Usami discloses in column 18, lines 51-65 how various information can be embedded into the image data. In column 19, lines 7-15, discloses how the information is used in printing an image.

Akiba and Usami are combinable because both are in the art embedding information in image data.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have included a method for embedding print conditions in image data and to use the information to print an image.

The motivation would have been to allow a machine or user to tell what kind of processing is needed.

Therefore, it would have been obvious to combine Akiba and Usami to obtain the invention as specified.

Akiba further discloses selecting a plurality of new image processing conditions for the at least one image processing operation from among plural levels or plural combinations of typically preset image processing conditions for the at least one image processing operation, (column 7, line 66-67) and

changing the initial values for image processing conditions into changed values for the selected plurality of new image processing conditions with a set value changing subsection of the image processing apparatus. (column 7, lines 66 - column 8, line 9).

Regarding claim 15, Akiba discloses further comprising sending the changed values from the set value changing subsection to a fine scan data processing section for executing the at least one image processing operation. (Fig. 2, item 170)

Regarding claim 16, Akiba discloses further comprising outputting image data output from the fine scan data processing section to an image output apparatus. (Fig. 2 discloses a printer)

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yixing Qin whose telephone number is (571)272-7381. The examiner can normally be reached on M-F 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Twyler Lamb can be reached on (571)272-7406. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2625

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

YQ

TWYLER CAMB
SUPERVISORY PATENT EXAMINER